System and Method for a Made to Specification e-commerce Quoting and Orders Processing System on a Stand Alone or Integrated Portal

Claims

What is claimed:

- 1. E-commerce system specifications for defining product specifications with or without option variable questions via a XML Schema Definition-XSD file indicated is a given implementation of just one schema and any other applicable schema's file name can be used in other implementation such as Document Type Definition-DTD files, or other new industry schemas as defined in claims 2-25.
- 2. The method of claim 1, wherein each title of data input for each of the XSD elements see FIG. 3 line 11 <title>1. Width Inches</title>.
- 3. The method of claim 1, wherein more information links see FIG. 3 line 16 <helpURL>./MoreInfo/M2specsXML339950-2201-001.html#width</helpURL>.
- 4. The method of claim 1, wherein the width of the screen for claim 3 See FIG. 3 Line 17 <helpwidth>700</helpwidth>.
- 5. The method of claim 1, wherein the height of the screen for claim 3 See FIG. 3 Line 18 <helpheight>350</helpheight>.
- 6. The method of claim 1, wherein the title of the screen for for claim 3 See FIG. 3 Line 19 <helptitle>More Info For 1. Width Window Inches </helptitle>.
- 7. The method of claim 1, wherein the format ability of Displaying the prompt Question, input, & more information link on the following conditions.
- 9. The method of claim 7, wherein multiple elements on the same line = cprompt>SameLine
- 10. The method of claim 7, wherein the prompt is on one line and input/more information link on the next line = cprompt>NewLine/prompt>.
- 11. The method of claim 7, wherein the ability for a system parameter in the web.config ASCII file to specify percentages of the line each component will occupy for claim 2 and 3.

- 12. The method of claim 11, wherein the "40:60/40:50:10" notation means 'if there is no more info, make a 40% prompt and 60% option; if there *is* a more info link, make a 40% prompt, then 50% option, then 10% more info'.
- 13. The method of claim 11, wherein similarly for the same line case, where there are four/five numbers instead of two/three, because there are two prompt/options on a line, and for the NewLine case, when there is no width for the prompt string, just for the option (and possibly the more info link).
- 14. The method of claim 11, wherein <add key="PSC_ColSpan_Normal" value="50:50/40:50:10" />.
- 15. The method of claim 11, wherein <add key="PSC_ColSpan_SameLine"value="25:25:25:25:25:20:25:10" />.
- 16. The method of claim 11, wherein <add key="PSC_ColSpan_NewLine" value="100/90:10" />.
- 17. The method of claim 1, wherein type of data input errors occur see FIG. 3 Line 37 <xs:restriction base="xs:integer"> Other types are string, decimal, & any allowed type in XSD.
- 18. The method of claim 17, wherein Edit rules allowed on the answer.
- 19. The method of claim 18, wherein Edit rule Low = see FIG. 4 Line 38 <xs:minInclusive value="6" />.
- 20. The method of claim 18, wherein Edit rule Max = see FIG. 4 Line 43 <xs:maxInclusive value="6" />.
- 21. The method of claim 18, wherein Edit rule High = <xs:maxLength value="25" />.
- 22. The method of claim 18, wherein Edit rule Patern = <xs:pattern value="[0-9]+(\.[0-9]+)?" /> Any allowed type in XSD.
- 23. The method of claim 18, wherein Edit rule of any allowed type in XSD.
- 24. The method of claim 1, wherein error message words if input errors occur see FIG. 3 Line 15 <errormessage>1. Width Must be Minimum 6, no Max. </errormessage>.
- 25. The method of claim 1, wherein Parameter to indicate if the price of an options drop down is displayed see **FIG. 4** Line 49 <display-price>True</display-price>.

- 26. The method of claim 1-25 wherein that by repeating the elements to achieve unlimited elements option specifications product option questions.
- 27. The method of claim 1 wherein that option selections will have user definable checking within all elements.
- 28. The method of claim 27, wherein the option selections will have user definable checking within all elements. See **FIG. 3** Line 12-14 < relations>

<exact element="CouponID" value="psc#1" errormessage=" 12. Your coupon ID
is not valid"/>
</relations>

Type: Six 6 allow types.

- 29. The method of claim 27, wherein minInclusive a low boundary limit which may be reached the minInclusive element is used to specify a minimum valid value for another element of the XML document. This applies to both numeric values and enumerations; in the latter case, the acceptable range is the specified value and all following it in the definition of the enumeration.
- 30. The method of claim 27, wherein minExclusive a low boundary limit which may not be reached the minExclusive element

is used to specify a minimum value for another element of the XML document, but the value specified is NOT acceptable. This applies to both numeric values and enumerations; in the latter case, the acceptable range consists of all values following the specified one in the definition of the enumeration.

- 31. The method of claim 27, wherein maxInclusive a high boundary limit which may be reached the maxInclusive element
- is used to specify a maximum valid value for another element of the XML document. This applies to both numeric values and enumerations; in the latter case, the acceptable range is the specified value and all preceding it in the definition of the enumeration.
- 32. The method of claim 27, wherein maxExclusive a high boundary limit which may not be reached the maxExclusive element

is used to specify a maximum value for another element of the XML document, but the value specified is NOT acceptable. This applies to both numeric values and enumerations; in the latter case, the acceptable range consists of all values preceding the specified one in the definition of the enumeration.

33. The method of claim 27, wherein exact - an exact value the exact element is used to specify an exact value for another element of the XML

document. This applies to all non-composite XSD types: numeric types, strings, and enumerations.

- 34. The method of claim 27, wherein pattern a regular expression pattern match The pattern element is used to specify a regular expression pattern that another element of the XML document should match. This applies to all XSD types derived from the string type.
- 35. E-commerce system specifications for defining product specifications Via XSL file the ability to define; math to compute fields back into the e-commerce product.
- 36. The method of claim 35, wherein Selling price see FIG. 8 Line 23, 30 thru line 32 <price><xsl:value-of select="\$FinalPriceMin " /> </price>.
- 37. The method of claim 35, wherein Shipping cost see **FIG. 8** Line 28, 33 thru line 35 <freight type="Shipping is Selected mode in \$persqft "> </freight>. <xsl:value-of select="\$FinalShipMin" /></freight>.
- 38. The method of claim 35, wherein Sales tax see **FIG. 8** Line 36 thru 38 <xsl:value-of select="(\$SalesTax_price div 100) * \$FinalPriceMin * \$productqty" /> </tax>.
- 39. The method of claim 35, wherein Other fields **FIG**. **8** Line 22 <xsl:variable name="productDiscount" select=" \$basePrice (\$basePrice * \$productqtyDiscount) " />.
- 40. **File upload:** The input allows for the location of a local computer file to be uploaded to the server to a designated location. .
- **41.** The method of claim 39, wherein **Upload URL**: Location on the web server directory or ftp or to your printer if your printer supports ftp, example c:/webhost4life aspnet/sriflcom/www_devstore/InputProductImages/ or ftp ftp://PSCFTPData:LogOnID@ftp.srifl.com/DataPath/.
- **42**. The method of claim 39, wherein **Upload temp URL**: The temp directory is specified as to where the file is placed until final check then it is put in the next location, example c:/webhost4life aspnet/sriflcom/www_devstore/InputProductImages/temp.
- 43. Indication of an element being a SVG type see **FIG. 3** Line 28 <isSVGFile>true</isSVGFile> . In **FIG. 7** is an example of what can be achieved. The novel aspect in this invention is the integrated retrieval of a

- master SVG file then saving it with the new option variables and the pricing ability, real time design ability, and saving the results in a single database table.
- 44. Order final checkout will NOT occur until update cart has been successfully completed without any errors for processing integrity.
- 45. Each option is contained in an element definitions for standalone and for the Portal access additional subset <xs:annotation> within each element of the e-commerce system. The Portal will allow prospects to select by the subset options without forcing in house namespace labels as shown in **FIG. 11 field** 1103.
- 46. A system defined allowed number of suppliers can be selected to provide quotes via Web Services.
- 47. The returned quoted price is displayed to the prospect with the ability to select the supplier and award the contract.
- 48. The prospect continues on to the awarded supplier's e-commerce site for completion of credit processing information to consummate the commerce transaction.
- 49. The portal will retain XML information of the transactions in the database in a single database record in XML format.